Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Region: GER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

ACRYLAT DICHTMASSEN

FESTER HALT SOCKELFUGE:

Ahorn, Buche, Eiche, Nuss, Mitternachtsbraun

RISS-UND FUGEN-ZU:

Grau, Schwarz, Braun

HOLZ- & PARKETT-FUGE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0 Fax no. +49 (0)40 694 07-109 + 110

Advice on Safety Data Sheet

sicherheit@lugato.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

Signal word

_

Hazard statement(s)

-

Hazard statements (EU)

Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Replaced version: 2.0.0, issued: 15.02.2024 Region: GER

EUH208

Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1), 2-methyl-2H-isothiazol-3-one (3:1), 3-methyl-2H-isothiazol-3-one (3:1), 3-methyl-2H-isothiazol-3-one (3:1), 3-methyl-2H-isothiazol-3-one (3:1), 3-methyl-2H-isothiazol-3-one (3:1), 3-methyl

isothiazol-3-one. May produce an allergic reaction.

Precautionary statement(s)

-

2.3 Other hazards

No special hazards have to be mentioned. Please observe the information given in this safety data sheet.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Modified aqueous synthetic resin dispersion.

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1	1,2-benzisothiazol-			
	2634-33-5	Acute Tox. 4; H302	< 0,10	wt%
	220-120-9	Eye Dam. 1; H318		
	613-088-00-6	Skin Irrit. 2; H315		
	01-2120761540-60	Skin Sens. 1; H317		
		Aquatic Acute 1; H400		
		Aquatic Chronic 2; H411		
2	2-octyl-2H-isothiaz			
	26530-20-1	Acute Tox. 3; H301	< 0,10	wt%
	247-761-7	Acute Tox. 3; H311		
	613-112-00-5	Skin Corr. 1; H314		
	01-2120768921-45	Skin Sens. 1A; H317		
		Eye Dam. 1; H318		
		Acute Tox. 2; H330		
		Aquatic Chronic 1; H410		
		Aquatic Acute 1; H400		
		EUH071		
3	reaction mass of: 5	i-chloro-2-methyl-4-isothiazolin-3-one and 2-		
	methyl-2H -isothiazol-3-one (3:1)			
	55965-84-9	Acute Tox. 3; H301	< 0,0015	wt%
	-	Acute Tox. 2; H310		
	613-167-00-5	Acute Tox. 2; H330		
	01-2120764691-48	Aquatic Acute 1; H400		
		Aquatic Chronic 1; H410		
		Eye Dam. 1; H318		
		Skin Corr. 1C; H314		
		Skin Sens. 1A; H317		
		EUH071		
4	2-methyl-2H-isothia	azol-3-one		
	2682-20-4	Acute Tox. 3; H301	< 0,10	wt%
	220-239-6	Acute Tox. 3; H311		
	613-326-00-9	Acute Tox. 2; H330		
	01-2120764690-50	Skin Corr. 1B; H314		
		Eye Dam. 1; H318		
		Skin Sens. 1A; H317		
		Aquatic Acute 1; H400		
		Aquatic Chronic 1; H410		
		EUH071		

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Replaced version: 2.0.0, issued: 15.02.2024 Region: GER

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Sens. 1; H317: C >= 0,05%	-	-
2	-	Skin Sens. 1A; H317: C >= 0,0015%	M = 100	M = 100
3	-	Skin Sens. 1A; H317: C >= 0,0015% Eye Irrit. 2; H319: C >= 0,06% Skin Irrit. 2; H315: C >= 0,06% Skin Corr. 1C; H314: C >= 0,6% Eye Dam. 1; H318: C >= 0,6%	M = 100	M = 100
4	-	Skin Sens. 1A; H317: C >= 0,0015%	M = 10	M = 1

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

No special measures necessary.

After skin contact

Remove with a cloth or paper. Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After indestion

Seek medical advice immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Send in suitable containers for recovery or disposal.

Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Region: GER

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Refer to protective measures listed in section 8.

General protective and hygiene measures

Wash hands before breaks and after work.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Keep from freezing.

Requirements for storage rooms and vessels

Store product in closed containers.

Incompatible products

None known

Stoarge Class according TRGS 510

10-13 Combustible and Non-combustible liquids and solids that cannot be assigned to storage

class 1-8.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No parameters available for monitoring.

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

No special measures required.

Eye / face protection

No special measures required.

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Nitrile impregnated protective gloves

Other

No special measures required.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Region: GER

State of aggregation

liquid

Form

pasty

Colour

grey; black; brown

Odour

weak

pH value

Value 8,9 - 9,0

Boiling point / boiling range

No data available

Melting point/freezing point

No data available

Decomposition temperature

No data available

Flash point

Not applicable

Ignition temperature

No data available

Flammability

No data available

Lower explosion limit
No data available

Upper explosion limit

No data available

Vapour pressure
No data available

Relative vapour density

No data available

Relative density

No data available

Density

Value 1,450 - 1,660 g/cm³

Solubility in water

Comments miscible in all proportions

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Kinematic viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information
No data available.

Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Replaced version: 2.0.0, issued: 15.02.2024 Region: GER

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

Endocrine disrupting properties

No data available

11.2 Information on other hazards

Other information

By appropiate use of the product no health damage is known.

Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Region: GER

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Completely emptied packagings can be given for recycling. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3 Transport hazard class(es)

Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Region: GER

Not classified as dangerous in the meaning of transport regulations.

14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	75
2	2-octyl-2H-isothiazol-3-one	26530-20-1	247-761-7	75
3	Calcium carbonate	471-34-1	207-439-9	75
4	potassium hydroxide	1310-58-3	215-181-3	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

National regulations

Water Hazard Class (Germany)

Class

Source Classification according to AwSV (Regulation on facilities for handling substances

that are hazardous to water).

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Trade name: ACRYLAT DICHTMASSEN

Product no.: ACD

Current version: 3.0.0, issued: 16.10.2024 Replaced version: 2.0.0, issued: 15.02.2024 Region: GER

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these

sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 646470