

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Bauschaum-Reiniger-Produkte:
BAUSCHAUM-REINGER
PISTOLEN-REINIGER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemical product for building, modernising and repairing.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

LUGATO GmbH & Co. KG

Großer Kamp 1

D-22885 Barsbüttel

Telephone no. +49 (0)40 694 07-0

Fax no. +49 (0)40 694 07-109 + 110

Information provided by / telephone

Department TS, telephone +49 40 694 07-222

e-mail: technik@lugato.de

Advice on Safety Data Sheet

technik@lugato.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aerosol 1; H222

Eye Irrit. 2; H319

STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02



GHS07

Signal word

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

Danger

Hazardous component(s) to be indicated on label:

acetone

Hazard statement(s)

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P271 Use only outdoors or in a well-ventilated area.
P405 Store locked up.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501 Dispose of contents/container to a facility in accordance with local and national regulations.

Supplemental label elements

Regulation (EC) No 648/2004 on detergents (Annex VII):
> 30% aliphatic hydrocarbons

2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The substances of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Preparation containing hazardous components given in the following list.

Hazardous ingredients

No	Substance name	Classification (EC) 1272/2008 (CLP)	Additional information	
	CAS / EC / Index / REACH no		Concentration	%
1	acetone			
	67-64-1 200-662-2 606-001-00-8 01-2119471330-49	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066	>= 50.00 - < 70.00	wt%
2	isobutane			
	75-28-5 200-857-2 601-004-00-0 01-2119485395-27	Flam. Gas 1A; H220 Press. Gas liq.; H280	>= 25.00 - < 50.00	wt%
3	propane			

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

74-98-6 200-827-9 601-003-00-5 01-2119486944-21	Flam. Gas 1A; H220 Press. Gas liq.; H280	>= 10.00 - < 25.00	wt%
----------------------------------------------------------	---------------------------------------------	--------------------	-----

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	C, U	-	-	-
3	U	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

not applicable

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

excessive lacrimation; Drowsiness; Dizziness

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Carbon dioxide; Water spray jet; Foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Exposure to heat may cause bursting of the aerosol packagings.

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Allow to set, pick up mechanically. Material sets hard automatically in air. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Observe safety references and application instructions mentioned on can. Keep away from sources of ignition! Refer to protective measures listed in section 8.

General protective and hygiene measures

Keep away from foodstuffs and beverages. Do not eat, drink or smoke during work time. Avoid contact with eyes and skin. Wash hands before breaks and after work. Do not inhale aerosols.

Advice on protection against fire and explosion

Forms explosive gas mixtures in combination with air. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from direct sunlight.

Requirements for storage rooms and vessels

Keep only in the original container. Storage rooms must be properly ventilated.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
	2000/39/EC		
	Acetone		
	WEL long-term (8-hr TWA reference period)	1210	mg/m ³ 500 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Acetone		
	WEL short-term (15 min reference period)	3620	mg/m ³ 1500 ppm
	WEL long-term (8-hr TWA reference period)	1210	mg/m ³ 500 ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	acetone			67-64-1 200-662-2
	dermal	Long term (chronic)	systemic	186 mg/kg/day
	inhalative	Short term (acut)	local	2420 mg/m ³
	inhalative	Short term (acut)	systemic	1210 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

1	acetone			67-64-1 200-662-2	
	oral	Long term (chronic)	systemic	62	mg/kg/day
	dermal	Long term (chronic)	systemic	62	mg/kg/day
	inhalative	Long term (chronic)	systemic	200	mg/m ³

PNEC values

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	acetone		67-64-1 200-662-2
	water	fresh water	10.6 mg/L
	water	Aqua intermittent	21 mg/L
	water	marine water	1.06 mg/L
	water	fresh water sediment	30.4 mg/kg
	water	marine water sediment	3.04 mg/kg
	soil	-	29.5 mg/kg
	sewage treatment plant	-	100 mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Short term: filter apparatus, Filter A

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	nitrile rubber		
Material thickness	>	0.1	mm
Breakthrough time	>	30	min

Other

Light protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form	
Aerosol	
Colour	
colourless	
Odour	
acetone-like	
pH value	
Value	5 - 6

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

Reference temperature	20	°C
Concentration	39.5	%
Source	manufacturer	

Boiling point / boiling range
No data available

Melting point/freezing point
No data available

Decomposition temperature
No data available

Flash point
no data available

Ignition temperature			
Value	>	240	°C
Source	manufacturer		

Flammability
No data available

Lower explosion limit
No data available

Upper explosion limit
No data available

Vapour pressure		
Value	8300	hPa
Source	manufacturer	

Relative vapour density
No data available

Relative density
No data available

Density			
Value	appr.	0.65	g/cm ³
Reference temperature		23	°C
Source	manufacturer		

Solubility
No data available

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
	log Pow		-0.23
	Method	QSAR	
	Source	ECHA	
2	isobutane	75-28-5	200-857-2
	log Pow		2.80
	Reference temperature		20 °C
	with reference to	pH 7	
	Source	ECHA	
3	propane	74-98-6	200-827-9
	log Pow	appr.	1.8
	Method	QSAR	
	Source	ECHA	

Kinematic viscosity		
Value	0.32	mPa*s
Reference temperature	20	°C
Type	dynamic	

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

Source	manufacturer
--------	--------------

Particle characteristics
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
LD50		5800	mg/kg bodyweight
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
LD50	>	15800	mg/kg bodyweight
Species	rabbit		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
LC50		76	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	isobutane	75-28-5	200-857-2
LC50		520400	ppmV
Duration of exposure		2	h
State of aggregation	Gas		
Species	mouse		
Source	ECHA		

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

Evaluation/classification	Based on available data, the classification criteria are not met.		
3	propane	74-98-6	200-827-9
LC50	>	800000	ppmV
Duration of exposure		0.25	h
State of aggregation	Gas		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Species	guinea pig		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Route of exposure	Skin		
Species	guinea pig		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	In vitro Mammalian Chromosomal Aberration Test		
Species	Chinese hamster Ovary (CHO)		
Method	OECD 473		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	in vitro gene mutation study in mammalian cells		
Species	Mouse lymphoma cells		
Method	OECD 476		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	isobutane	75-28-5	200-857-2
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typh. TA98, TA100, TA1535, TA1537, TA1538		
Method	Value taken from the literature		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

Route of exposure	inhalational		
NOAEC	2200	ppm	
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	isobutane	75-28-5	200-857-2
Route of exposure	inhalational		
NOAEC	9000	ppm	
Type of examination	Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test		
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	propane	74-98-6	200-827-9
Route of exposure	inhalational		
NOAEC	12000	ppm	
Type of examination	Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test		
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Route of exposure	dermal		
Type of examination	Toxicity study		
Species	mouse		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Route of exposure	oral		
NOAEL	10000	ppm	
Species	rat		
Method	OECD 408		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
NOAEC	19000	ppm	
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	isobutane	75-28-5	200-857-2
Route of exposure	inhalational		
NOAEC	9000	ppm	
Species	rat		
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	propane	74-98-6	200-827-9
Route of exposure	inhalational		
LOAEC	12000	ppm	
Species	rat		

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

Method	OECD 422
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Aspiration hazard
No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure
Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
LC50		5540	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Toxicity to fish (chronic)
No data available

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
EC50		8800	mg/l
Duration of exposure		48	h
Species	Daphnia pulex		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Toxicity to Daphnia (chronic)
No data available

Toxicity to algae (acute)
No data available

Toxicity to algae (chronic)
No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Type	aerobic biodegradation		
Value		90.9	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

2	isobutane	75-28-5	200-857-2
Type	aerobic biodegradation		
Value		50	%
Duration		3.1	d
Method	QSAR		
Source	ECHA		
Evaluation	readily biodegradable		
3	propane	74-98-6	200-827-9
Type	aerobic biodegradation		
Value		50	%
Duration		3	d
Method	QSAR		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
log Pow		-0.23	
Method	QSAR		
Source	ECHA		
2	isobutane	75-28-5	200-857-2
log Pow		2.80	
Reference temperature		20	°C
with reference to	pH 7		
Source	ECHA		
3	propane	74-98-6	200-827-9
log Pow		appr. 1.8	
Method	QSAR		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The substances of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 16 05 04* gases in pressure containers (including halons) containing hazardous substances

Hand over only completely emptied aerosol cans for valuable substance recovery!

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Waste code 15 01 10* packaging containing residues of or contaminated by hazardous substances

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 2
Classification code 5F
UN number UN1950
Proper shipping name AEROSOLS
Tunnel restriction code D
Label 2.1

14.2 Transport IMDG

Class 2
UN number UN1950
Proper shipping name AEROSOLS
EmS F-D, S-U
Label 2.1
Comments The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II at least.

14.3 Transport ICAO-TI / IATA

Class 2.1
UN number UN1950
Proper shipping name Aerosols, flammable
Label 2.1
Comments The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II (IATA-Regulation 5.2 PI203).

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	acetone	67-64-1	200-662-2	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

EU safety data sheet

Trade name: Bauschaum-Reiniger-Produkte:

Product no.: BSR

Current version : 5.0.1, issued: 19.09.2023

Replaced version: 5.0.0, issued: 31.03.2021

Region: GB

This product is subject to Part I of Annex I, risk category:	P3a
--------------------------------------------------------------	-----

Other regulations

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.
Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/prevention-radicalisation/terrorist-content-online/list-national-competent-authority-authorities-and-contact-points_en

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

C	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
U	When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 20268